







RV Belgica refit & replacement: the final step!





Lieven Naudts

RBINS – OD Nature

Royal Belgian Institute of Natural Sciences – Operational Directorate Natural Environment












RV Belgica: 2 years of problems











Flooding & damages

- 19th of July: Flooding of engine room (0.8-1.2 m): affecting main engine, generators, pumps, electrical cabling, etc.
- Analyses showed that the hole was the result of biological corrosion mediated by sulfur-reducing bacteria
- Final cost was 1.5 M€ incl. VAT, of which 100 K€ was refused by the expert (cfr. regular maintenance costs)
 - CASCO insurers paid an advance of 900 k€
 - CASCO insurers refuse to pay the 250 k€ VAT (cfr. enrichment of the Federal State)
- Renewal CASCO insurance 2016 was obtained after an increase of the fee by 32%
- 63 planned scientific days lost; 17 programs affected (mainly seasonal monitoring no recuperation)
 - Makeshift solutions using other vessels were problematic (cfr. cost, availability, capabilities, berths, etc.)
 - Campaigns were restarted from the 7th of Dec

















Obsolescence maintenance

- Obsolescence maintenance
 - Planned from 28th of March to 24th of August 2016
 - 1.019 M€ extra budget foreseen

January	1	2	3	4	5	6	7	-8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	- 23	24	25	26	27	28	29	30 31	
	cation	-					ADE						LVO			war.	W. Land		OD Na	ture INBO						ILVO			Washington,		
1.73	/acal	Zeeb	rugge	, h	AT.	1 MP			Zeebr	ugge	2		EV		Zeebrug	rugge	3 ×	KP ¹ MF JH KPn ES				Zeeb	Zeebrugge			EV		Z	Zeebrugge		
February	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29		
		CSS	1	OGMR		-			R	IMG			16.00			OD Nat	ure I	INBO		300			CSS	OD N	iture		1				
	5	KD	EM	CP OL S	P	Zeeb	rugge	6		TM			Zeck	orugge	7	ME KP JI	HAN	ES	MT	Zeeb	rugge	8	KD	JH	AN		Zeeb	rugge			
March	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30 31	
	9 KH ^{AA}			4.4			OD Nature		CSS		Took			OD Na	ture I	NBO	UB	201	and the second						-						
					Zeeb		10	VVL VVLi s		P KD		Zeeb	rugge 11	11	MF :	SL	ES I	LCFD	Zeebi	orugge		RE	SERVE/	IMI		Zeeb	eebrugge				
April	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
													-	00015	cornic		*****	ice													
													O	BOULE	SCENC	E MAIN	LENAP	VCE.													
May	1	2	3	4	5	6	7	- 8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30 31	
														OBSC	WESCE.	NCE MA	VINITER	NANCE													
4 - 4														OBSC	JESCE	INCE IVIA	AIN I E	WAINCE													
June	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
													O	RSOLE	SCENC	E MAIN	TENIAN	UCE.													
														DJOLL.	JCLIVCI	L WIGHT	LLIAM	VCL												- 3	
July	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30 31	
														OBSC	DIESCE	NCE MA	AINTEN	NANCE													
														0030	JEEJCE	THE THE															
August	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15		30 31														
1177	OBSOLESCENCE MAINTENANCE																				DG5 Zeebrugge		(D Nature							
																										RM				P MF JH KPn	
September	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
	INRO	RBINS	Zeet	Zeebrugge		ILVO		OD Nature						ILV	0		Zeeh	brugge	MT			ILVO		Zeel	rugge	1000		CSS			
100	ES HS				14a	14a KM				Yarmouth		14b		KN	Л	- 1			*1	15a		KH12			-00-	15b		KH ^{1,2} KD			
October	1	2	3	4	5	6	_	8	9	10	11	12	13		15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30 31	
	Zeeh	rugge	MT		ILVO	OD N	ature	Zeeb	rugge		SMR/L	UZ	OD Na	ture	Zeek	orugge	O	D Natur	e CSS	DGN	ИR	Zeeh	rugge		SM	B OD	Nature	,	Zeebru	ppp	
			*2	15c	KH ^{t.₄}	KP1	JH			16 JR			IDM AN ME		at which	17 VVLV					240	T HALL	18	JR	JR ³ MF JH						
November	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	
		VACA	TION		Zeeb	rugge		RESER	VE/MT		/acation	Zeeb	rugge	VAC	ATION	INB	IO Ulg	MT	Zeeb	тикие		OD	Nature	9		Zeeb	rugge		ILVO		
		20190			2000			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			-	2000				19 ES	NF		222,0		20	MF H	CP JH K	Pn		2000	- BBC	21a	EV		
December	1	2	3	4	5	6	7	8	9	10	11	12		_	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30 31	
V-1	ILV)	Sout	hwick			ILV	0		700	brugge		CSS.	DGI	VIR	- 17	7eeh	rugge		OD Na	ture	INBO	MT	7eeh	rugge			VACATI	ION		
4	EV				21b		EV	EV				22	2 KD OLEN				- varning Re		23 KP MF IH			E5		Zeen			VALATI				













Obsolescence maintenance

- Obsolescence maintenance
 - Replacement/automation of alarm & control systems engine room / main engine / propeller Incl. bridge controls on portside
 - Replacement control systems hydraulic system Incl. fishery corner on the bridge Incl. bridge wing controls
 - Extension of fire and bilge alarm systems
 - Replacement of CCTV system
 - Replacement of telephone system
 - Replacement of navigation lights (LED)
 - Replacement flood lights (LED)
 - Replacement of kitchen (cfr. HACCP)
 - Replacement of living container

















2016

- Regular maintenance
 - Planned from 28th of March to 24th of August 2016 (cfr. obsolescence maintenance period)
 - 1.028 M€ budget foreseen
 - Standard dry dock foreseen cfr. Class (DNV-GL)
 - Propeller shaft needed to be removed and checked

...nothing special!?










2016

- Regular maintenance
 - Propeller shaft needed to be removed and checked
 - 1. Stern tube bearings were run in (1) (April 2016)
 - 2. Stern tube incl. bearings /propeller shaft were misaligned
 - 3. Realignment of stern tube incl. bearings /propeller shaft resulted in misalignment of propulsion line
 - 4. Propulsion line (incl. main engine) was moved to achieve alignment (ca. 7 mm)
 - 5. During SAT the intermediate bearing overheated (2) (> 90 $^{\circ}$ C; cfr. 55 $^{\circ}$ C) (July 2016)
 - 6. After several adjustments incl. oil change bearing and tooth gear coupling still overheats
 - 7. New measurement indicated again misalignment of propulsion line (ca. 1 mm); propulsion line moved
 - 8. After several adjustments & tests intermediate bearing still overheats (October 2016)
 - 9. Bearing and intermediate shaft have been removed and have been renewed/maintained, but bearing still overheats (Nov-Dec 2016)

Due to this problem 71 planned scientific days were lost and 21 programs affected in 2016











- Regular maintenance
 - Overheating of intermediate bearing
 - 10. Extensive vibration and ODS measurements (January 2017)
 - indication of vertical movement; yard says: due to a structural fault in the ship (stiffness?)
 - 11. During several sea trials the problem remains with temperatures above 100° C, even after changing to oil with a higher viscosity (January 2017)
 - 12. RBINS-OD Nature own investigations shows that there still is a misaligned of the propulsion line; not horizontally but vertically. An independent company was hired to again measure the alignment of the propulsion line. (March 2017)
 - Alignment couldn't be controlled since taking apart the intermediate and propeller shaft is only possible in dry dock.
 - Ship yard refuses to take the ship into dry dock
 - 13. RBINS-OD Nature gets in contact with DAMEN NewBuild
 - 14. The ship yard appoints a new subcontractor to do a full analyses of the propulsion line (temperatures, displacement, vibration, bending stress, etc.) (March-April 2017)
 - The propulsion line seems to be ok, no major abnormalities (incl. vibrations and displacements)
 - The oil was changed to a lower viscosity oil identical to the oil used in the past. Bearing temperature significantly reduced cfr. lower shear friction and possible effects of slipping (ca. 20°C)
 - The design of the bearing and too low load are indicated as main cause of the problem









2017

- Regular maintenance
 - Overheating of intermediate bearing
 - 15. DNV-GL allows to resume full operation (April 2017) based on:
 - Strongly reduced bearing temperature
 - Continuously monitored bearing temperatures
 - Addition of a cooling system
 - Indication that there is no structural problem with the propulsion line
 - 16. Discussion with the ship yard on who is responsible for the costs (refit costs after SAT, chartering of vessels, loss of income) since July 2016 is unresolved
 - 17. It was only in March 2017 that scientist got the media involved which led to inquiries on minister level

Due to this problem 88 planned scientific days were lost and 25 programs affected in 2017

- The last 2 years, the ship was at quay side for 19 months and this resulted in many frustrations (scientists, crew, all parties involved in the maintenance, etc.)
- Since April 2017, start of new maintenance contract with new ship yard until end life (2020)

RV Belgica will resume her original 2017 program from this week onward









NewRV A new multidisciplinary research vessel to replace RV Belgica











Replacement Process

2005-2017

- 2005 Council of Ministers agrees with the start of the feasibility study on the replacement or modernization of the RV Belgica
- 2013 Council of Ministers agrees with the feasibility study and with the start of the finance study on the replacement or the modernization of the RV Belgica
- 2014 Council of Ministers agrees with the finance study: the build of a new research vessel is the best solution
- 2016 Council of Ministers principally agrees with the replacement of the RV Belgica and with the preparation of the public tender and the development of the further collaboration between Federal Sciences Policy and Defence for the exploitation of the new research vessel
- 2017 Council of Ministers agrees with the launch of the public tender and the replacement of the RV Belgica by providing the necessary budget (54.45 M€ incl. VAT)









Replacement Process

2015-2016

- Working group with Cabinet Science policy
- Cooperation agreement Belgian Defence Belspo RBINS-OD Nature
 - Steering committee
 - Project team technical and scientific specifications (<u>NewRV@belspo.be</u>)
 - Working group operational aspects convention
- Final input by scientists cfr. scientific needs
- New support letters rectors/directors of universities, institutes & private companies
- Contacts were made with neighboring countries for cooperation (FR, UK, NL, DK, LUX, etc.)
 - Only with FR (IFREMER) cooperation seems feasible cfr. ship time & infrastructure exchange









Replacement Process

2016-2020

- 2016: specifications NewRV discussed with 10 ship yards (ESP, FR, NED, UK)
- March 2017: final agreement on replacement including budget (Council of Ministers)
- June 2017: launch of tender
- End 2017: agreement on selection of ship yard (Council of Ministers) & signed contract
- 2018-2020: Design & build NewRV
- 2018-2019: New convention and business plan (Council of Ministers)
- Mid 2020: Delivery NewRV













Built: 2018 - 2020

Prize: 54, 4 M€ incl. 21% VAT

Length: > 65 m Beam: > 15 m

Draft: Max. 4.8 m

12 + 28 (4 single - 18 double) Berths Crew + Scientists:

Days (24h) at sea: 300/y

4,3 M€/y incl. VAT Operating cost:













Specifications

- Diesel-Electric propulsion (AC), waste-heat recovery, MARPOL TIER III
- DNV-GL Silent-R or equivalent
- 11 kn operational speed (max. 13 kn)
- North Sea, Atlantic Ocean, Mediterranean Sea
- Instrumentation adapted to water depths of 5000 m
- Minimum Ice Class (DNV-GL ICE-1C or equivalent) for summer operations in Arctic areas
- Dynamic Positioning Class 2 (DP-2)
- Active stabilization System
- 30 day autonomy









Specifications

- 3 Cranes (fwd, mid, aft) 1.5t, 4t, 8t
- 2 CTD Winches (stbd) AHC 5500 m
- Multifunctional Winch (stbd) 5500 m
- Hydrographic Winch (aft/stbd) 5500 m
- 2 Trawl Winches 40t 5500 m
- Net Drum Winch 30t 10 m²
- Split Net Drum Winch 30t 8 m² each
- Net Sonde Winch 6t 5500 m
- 2 Gilson Winches 40t 5500 m
- CTD Gantry & LARS (stbd)
- 2 stbd Gantries 10t
- Aft A-Frame 30t
- Gilson Gantry
- Work Boat 6 m

- Wet Lab
- 3 Dry Labs
- Wet and Dry Fish Lab
- AUMS Lab
- Aerosol Lab
- Diver Store
- Seismic Room
- Scientific Lab
- Operational Center
- CTD hangar
- Hangar
- Crow's Nest
- Cold & Freeze Rooms
- Large aft & stbd decks









Specifications

Full Acoustic Underwater Instrumentation suite

- Shallow and deep-water bathymetric multibeam echosounders (>300 m & >5000 m)
- Parametric subbottom profiler (>5000 m)
- Scientific multibeam & split-beam wideband echosounder (>5000 m)
- Omnidirectional fish sonar (>4000 m)
- net- and catch monitoring system
- Underwater position-reference system (USBL) (<5000 m)
- Acoustic Doppler Current Profilers (>700 m & <50 m)

Mapping and analyses of full water column (incl. fauna), sea floor and subsurface









Specifications

Adapted to existing large European Marine Research Infrastructure

- Autonomous Underway Vehicles (AUVs)
- Remotely Operated Vehicles (ROVs)
- 3D seismic systems
- Scientific sediment coring and rock drill devices
- Storage space for 7 ISO 20' containers
- 2 integrated drop keels

A platform for European cooperation through which Belgian researchers get access to large European marine research infrastructure











New potential and new end users

- Complete support of Belgian Marine Science community (incl. blue ocean research)
- Ship time exchange with European Research institutes to: Enhance research capacity and study areas based on shared cost
- Strengthening the Belgian role in the Blue economy via its researchers, training centers & maritime industry
- Financial return by deploying NewRV as an exploration- & test platform, research- & monitoring ship, education- & training platform













Thank you!



Please visit: <u>odnature.naturalsciences.be/belgica</u> (website, Facebook, Twitter, etc.)